

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-2129767-0  
**Report Reference** E219022-20200430  
**Date** 15-Jun-2021

**Issued to:** BLOCK Transformatoren-Elektronik GmbH  
Max-Planck-Strasse 36-46 Verden  
Germany 27283

**This is to certify that representative samples of** NMTR - Power Circuit and Motor-mounted Apparatus  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 508, 18th Ed., Issue Date: 2018-03-30

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-2129767-0  
**Report Reference** E219022-20200430  
**Date** 15-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
LR3, LR3, may be followed by AE or 400, may be followed by BTZ, may be followed by 160, 200, 250, 315, 400, 500, or 630, followed by 063 to 900, followed by 40 or 48, followed by 3 or 4 or 5 may be followed by 0 to 9.	Open Type Reactor for use on Input side of Motor Drives



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-2124731-0  
**Report Reference** E219022-20200430  
**Date** 15-Jun-2021

**Issued to:** BLOCK Transformatoren-Elektronik GmbH  
Max-Planck-Strasse 36-46 Verden  
Germany 27283

**This is to certify that  
representative samples of**

NMTR7 - Power Circuit and Motor-mounted Apparatus  
Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-2124731-0  
**Report Reference** E219022-20200430  
**Date** 15-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
LR3, LR3, may be followed by AE or 400, may be followed by BTZ, may be followed by 160, 200, 250, 315, 400, 500, or 630, followed by 063 to 900, followed by 40 or 48, followed by 3 or 4 or 5 may be followed by 0 to 9.	Open Type Reactor for use on Input side of Motor Drives



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

